EXHIBIT 21

Disputed Cisco Command	ISCLI Command Syntax	Bates Number of BNT, IBM, or Lenovo Document
aggregate-address	aggregate-address <1-16> <ip address=""> <ip netmask=""></ip></ip>	LENOVO-ARISTA000001
clear counters	clear counters	LENOVO-ARISTA000001 LENOVO-ARISTA000001
clear ipv6 neighbors	clear ipv6 neighbors	LENOVO-ARISTA000001 LENOVO-ARISTA000001
flowcontrol receive	flowcontrol {receive send} [on off]	LENOVO-ARISTA000001 LENOVO-ARISTA000001
flowcontrol send		LENOVO-ARISTA000001 LENOVO-ARISTA000001
	flowcontrol {receive send} [on off]	
ip address	ip address <ip address=""></ip>	LENOVO-ARISTA000001
ip dhcp snooping	ip dhcp snooping	LENOVO-ARISTA013095
ip dhcp snooping information option	[no] ip dhcp snooping information option-insert	LENOVO-ARISTA013095
ip dhcp snooping vlan	ip dhcp snooping vlan <vlan number=""></vlan>	LENOVO-ARISTA013095
ip igmp query-interval	ip igmp query-interval <1-600>	LENOVO-ARISTA000001
ip local-proxy-arp	[no] ip local-proxy-arp	ARISTANDCA13276058
ip name-server	[no] ip name-server <ip address=""></ip>	ARISTANDCA13273702
ip ospf cost	ip ospf cost <1-65535>	LENOVO-ARISTA000001
ip ospf dead-interval	ip ospf dead-interval <1-65535>	LENOVO-ARISTA000001
ip ospf hello-interval	ip ospf hello-interval <1-65535>	LENOVO-ARISTA000001
ip ospf message-digest-key	[no] ip ospf message-digest-key <1-255>	LENOVO-ARISTA000001
ip ospf retransmit-interval	ip ospf retransmit-interval <1-3600>	LENOVO-ARISTA000001
ip pim dr-priority	ip pim dr-priority <0-4294967294>	LENOVO-ARISTA000001
ip pim neighbor-filter	[no] ip pim neighbor-filter	LENOVO-ARISTA000001
ip route	ip route [<interface number="">]</interface>	LENOVO-ARISTA000001
ip routing	ip routing [no] ip routing directed-broadcasts [no] ip routing no-icmp-redirect [no]	
iproduing	ip routing imp6-redirect	LENOVO-ANISTA000001
ipv6 address	ipv6 address <ip (such="" 3001:0:0:0:0:0:abcd:12)="" address="" as=""> [<ip6 (1-<="" length="" prefix="" td=""><td>LENOVO-ARISTA000001</td></ip6></ip>	LENOVO-ARISTA000001
ipv6 nd prefix	128)> [enable anycast] ipv6ndprefix{< Pv6prefix> <pre>cprefixlength>}no-autoconfig</pre>	LENOVO-ARISTA013095
	[no] ipv6 nd ra-interval <4-1800>	LENOVO-ARISTA013095 LENOVO-ARISTA013095
ipv6 nd ra lifetima		
ipv6 nd ra lifetime	ipv6 nd ra-lifetime <0-9000>	LENOVO-ARISTA013095
ipv6 nd reachable-time	[no] ipv6 nd reachable-time <1-3600>	LENOVO-ARISTA003095
ipv6 ospf area	ipv6 ospf area <area (0-2)="" index=""/>	LENOVO-ARISTA000001
ipv6 ospf cost	[no] ipv6 ospf cost <1-65535>	LENOVO-ARISTA000001
ipv6 ospf dead-interval	[no] ipv6 ospf hello-interval <1-65535>	LENOVO-ARISTA000001
ipv6 ospf hello-interval	[no] ipv6 ospf dead-interval <1-65535>	LENOVO-ARISTA000001
ipv6 ospf network	ipv6 ospf network {broadcast non-broadcast pint-to-multipoint point-to-point}	LENOVO-ARISTA000001
ipv6 ospf priority	[no] ipv6 ospf priority <priority (0-255)="" value=""></priority>	LENOVO-ARISTA000001
ipv6 ospf retransmit- interval	[no] ipv6 ospf retransmit-interval <1-1800>	LENOVO-ARISTA000001 LENOVO-ARISTA000001
ipv6 ospf transmit-delay	[no] ipv6 ospf transmit-delay <1-1800>	LENOVO-ARISTA000001
ipv6 router ospf	[no] ipv6 router ospf	LENOVO-ARISTA000001
lacp system-priority	lacp system-priority <1-65535>	LENOVO-ARISTA000001
mac-address-table static	mac-address-table static <mac address=""> vlan <vlan number=""> {port <port alias="" number="" or=""> portchannel <trunk number=""> adminkey <1-65535> }</trunk></port></vlan></mac>	LENOVO-ARISTA000001
maximum-paths	maximum-paths <0-4>	LENOVO-ARISTA013095
neighbor next-hop-self	[no] neighbor <1-96> next-hop-self	LENOVO-ARISTA005923
neighbor password	[no] neighbor <1-12> password <1-16 characters>	LENOVO-ARISTA000001
neighbor remote-as	neighbor <1-12> remote-as <1-65535>	LENOVO-ARISTA000001
neighbor route-reflector-client	[no] neighbor <1-12> route-reflector-client	LENOVO-ARISTA000001 LENOVO-ARISTA000001
	neighbor <1-12> route-renector-client	LENOVO-ARISTA000001 LENOVO-ARISTA000001
neighbor shutdown		
ntp authenticate	[no] ntp authenticate	LENOVO-ARISTA000001
ntp trusted-key	ntp trusted-key <1-65534> 0	LENOVO-ARISTA000001
port-channel min-links	port-channel min-links <1-32>	LENOVO-ARISTA000001
route-map	route-map {<1-32>}	LENOVO-ARISTA000001
router bgp	router bgp	LENOVO-ARISTA000001
router ospf	router ospf	LENOVO-ARISTA000001
router rip	router rip	LENOVO-ARISTA000001
router-id	ip router-id <ip address=""></ip>	LENOVO-ARISTA000001
router-id (OSPFv3)	router-id	LENOVO-ARISTA000001
show arp	show arp	LENOVO-ARISTA000001
show dot1x	show dot1x	LENOVO-ARISTA000001
show environment power	show environment power	LENOVO-ARISTA000001
show ip arp	show ip arp show ip arp find <ip address=""> show ip arp interface port <port alias="" number="" or=""> show ip arp vlan <vlan number=""> show ip arp reply</vlan></port></ip>	LENOVO-ARISTA000001
show ip bgp	show ip bgp show ip bgp information[<ipv4 network=""> <ipv4 mask="">] show ip bgp</ipv4></ipv4>	LENOVO-ARISTA000001
	neighbor <1-12> redistribute	
show ip dhcp snooping	show ip dhcp snooping binding	LENOVO-ARISTA000001
show ip igmp groups	show ip igmp groups addresss <pre></pre> //p show ip igmp groups vlan <vlan <pre="">number> show ip igmp groups interface port <port alias="" number="" or=""> show ip igmp groups portchannel <trunk number=""> show ip igmp groups detail <ip address=""> show ip igmp groups</ip></trunk></port></vlan>	LENOVO-ARISTA000001
ah ayy in interfere h-1-f		LENOVO ADICTADODOS
show ip interface brief	show ip interface brief	LENOVO-ARISTA000001
show ip mroute	show ip mroute	LENOVO-ARISTA000001
show ip ospf	show ip ospf general-information show ip ospf area information show ip ospf area <-0.2> show ip ospf interface loopback <-1.5> show ip ospf neighbor show ip ospf database	LENOVO-ARISTA000001
	ועטטו עמנמטלטכ	
show in ospf database database-summary	show in ospf database database-summary	ILFNOVO-ARISTA000001
show ip ospf database database-summary show ip ospf interface	show ip ospf database database-summary show ip ospf interface loopback <1-5> show ip ospf interface [<interface number="">]</interface>	LENOVO-ARISTA000001 LENOVO-ARISTA000001
show ip ospf database database-summary show ip ospf interface	show ip ospf interface loopback <1-5> show ip ospf interface [<interface number="">] counters</interface>	LENOVO-ARISTA000001
show ip ospf interface show ip ospf neighbor	show ip ospf interface loopback <1-5> show ip ospf interface [<interface number="">] counters show ip ospf neighbor</interface>	LENOVO-ARISTA000001 LENOVO-ARISTA000001
show ip ospf interface	show ip ospf interface loopback <1-5> show ip ospf interface [<interface number="">] counters</interface>	LENOVO-ARISTA000001

Case 5:14-cv-05344-BLF Document 381-21 Filed 07/14/16 Page 3 of 3 APPENDIX H.ISCLI - ISCLI Use of Disputed CLI Commands

show in route	chay in route chay in route static chay in route complach show in route	LENOVO-ARISTA000001
show ip route	show ip route show ip route static show ip route ecmphash show ip route	LENOVO-ARISTAUUUUU1
	interface <interface number=""> show ip route tag {fixed static addr rip ospf bgp broadcast martian multicast} show ip route</interface>	
	type {indirect direct local broadcast martian multicast} show ip route gateway	
	<ip address=""> show in route address <ip address=""></ip></ip>	
show ip route tag	show ip route tag {fixed static addr rip ospf bgp broadcast martian multicast}	LENOVO-ARISTA000001
show ipv6 interface	show ipv6 interface <interface number=""></interface>	LENOVO-ARISTA000001
show ipv6 neighbors	show ipv6 neighbors find <ipv6 address=""> show ipv6 neighbors interface port <port< td=""><td>LENOVO-ARISTA000001</td></port<></ipv6>	LENOVO-ARISTA000001
	alias or number> show ipv6 neighbors vlan <vlan number=""> show ipv6 neighbors</vlan>	
show in Coopf	static show ipv6 ospf information show ipv6 ospf area <area (0-2)="" index=""/> show ipv6 osp	ALENOVO ADICTADODOS
show ipv6 ospf	area-virtual-link show ipv6 ospf host show ipv6 ospf request-list <nbr></nbr> br router-id	ILENOVO-ARISTAUUUUUT
	(A.B.C.D)> show ipv6 ospf retrans-list <nbr (a.b.c.d)="" router-id=""> show ipv6 ospf</nbr>	
	summary-prefix <area (0-2)="" index=""/> show ipv6 ospf redist-config show ipv6 ospf	
	area-range information show ipv6 ospf routes show ipv6 ospf border-routers	
show ipv6 ospf border-routers	show ipv6 ospf border-routers	LENOVO-ARISTA000001
show ipv6 ospf interface	show ipv6 ospf interface <interface number=""></interface>	LENOVO-ARISTA000001
show ipv6 ospf neighbor	show ipv6 ospf neighbor <nbr (a.b.c.d)="" router-id=""></nbr>	LENOVO-ARISTA000001
show ipv6 route	show ipv6 route address <ipv6 address=""></ipv6>	LENOVO-ARISTA000001
show ipv6 route summary	show ipv6 route summary	LENOVO-ARISTA000001
show lldp	show lldp remote-device [<1-256> detail] show lldp port show lldp receive show	LENOVO-ARISTA000001
	lldp transmit show lldp port <1-16> tlv evb show lldp information	
show mac-address-table	show mac-address-table address < MAC address>	LENOVO-ARISTA000001
show ntp associations	show ntp associations	LENOVO-ARISTA000001
show route-map	show route-map [<1-32>]	LENOVO-ARISTA000001
show spanning-tree	show spanning-tree	LENOVO-ARISTA000001
show spanning-tree blockedports	show spanning-tree blockedports	LENOVO-ARISTA005923
show spanning-tree mst	show spanning-tree mst <0-32> [information]	LENOVO-ARISTA005923
show spanning-tree mst configuration	show spanning-tree mst configuration	LENOVO-ARISTA005923
show spanning-tree root	show spanning-tree root	LENOVO-ARISTA005923
show vlan	show vlan <vlan number=""></vlan>	LENOVO-ARISTA000001
show vlan private-vlan	show vlan private-vlan [type]	LENOVO-ARISTA005923
snmp-server community	snmp-server community <1-16>	LENOVO-ARISTA005923
snmp-server contact	snmp-server contact <1-64 characters>	LENOVO-ARISTA000001
snmp-server group	snmp-server group <1-16>	LENOVO-ARISTA000001
snmp-server host	snmp-serverhost traphostcommunitystring>	LENOVO-ARISTA000001
snmp-server location	snmp-server location <1-64 characters>	LENOVO-ARISTA000001
snmp-server user	snmp-server user <1-16>	LENOVO-ARISTA000001
snmp-server view	snmp-server view <1-128>	LENOVO-ARISTA000001
spanning-tree bpduguard	[no] spanning-tree bpduguard	LENOVO-ARISTA005923
		ARISTANDCA13273536
spanning-tree link-type	[no] spanning-tree link-type p2p shared	LENOVO-ARISTA000001
spanning-tree mode	spanning-tree mode [disable mst pvrst rstp]	LENOVO-ARISTA000001
spanning-tree mst configuration	spanning-tree mst configuration	LENOVO-ARISTA005923
storm-control	storm-control {broadcast multicast unicast} level rate <0-2097151> storm-control {broadcast multicast unicast} level pps <0-2097151>	LENOVO-ARISTA005923
switchport access vlan	switchport access vian <vlanid(1-4094)></vlanid(1-4094)>	LENOVO-ARISTA005923
switchport mode	switchport mode {access trunk private-vlan}	LENOVO-ARISTA005923
switchport private-vlan mapping	[no] switchport private-vlan mapping <pri>primaryVLANID(2-4094)></pri>	LENOVO-ARISTA005923
switchport trunk allowed vlan	switchport trunk allowed vlan <vlanid(1-4094)></vlanid(1-4094)>	LENOVO-ARISTA005923
switchport trunk native vlan	switchport trunk native vlan <vlanid(1-4094)></vlanid(1-4094)>	LENOVO-ARISTA005923
terminal length	terminal-length <0-300>	LENOVO-ARISTA000001
	1	***********